

Author index

- Abe T, *see* Shibata T
- Aeed PA, Briles WE, Zsigray RM & Collins WM: Influence of different B-complex recombinants on the outcome of Rous sarcomas in chickens, 177
- Agaba M & Kemp SJ: Characterization of the 3' untranslated region of bovine parathyroid hormone gene in N'Dama and Boran cattle, 325
- Aguirre A, *see* Estomba A
- Aguirre G, *see* Hershfield B
- Akita T, *see* Shibata T
- Al-Murrani SWK, Glass EJ, Williams JL & Oliver RA: 1D-IEF analysis of BoLA class I expression using allo-antisera reveals additional complexity, 427
- Albers GAA, *see* Hepkema BG
- Ali S, Gauri & Bala S: Detection of genome specific monomorphic loci in *Bos taurus* and *Bubalus bubalis* with oligodeoxyribonucleotide probe, 199
- Allen MR & Wheeler MB: An *RsaI* RFLP at the porcine protein kinase C epsilon polypeptide (*PRKCE*) locus, 330
- Amoss Jr MS, *see* Tissot RG
- Andersson L, Archibald AL, Gellin J & Schook LB: 1st Pig Gene Mapping Workshop (PGM1), 7 August 1992, Interlaken, Switzerland, 205
see also Chowdhary BP
see also Ellegren H
see also Marklund L
- Andersson-Eklund L & Rendel J: Linkage between amylase-1 locus and a major gene for milk fat content in cattle, 101
- Anglade P, *see* Miranda G
- Ansari HA, *see* Broad TE
- Archibald AL, *see* Andersson L
see also Brown JF
see also Couperwhite S
- Asso J, *see* Grain F
- Atac E, Shalhevet D, Krull D, Clamp P, Feltes R, Beever J & Schook LB: A *BamHI* polymorphism at the porcine crystallin γ locus, 139
see also Clamp P
see also Feltes R
see also Shalhevet D
- Attie AD, *see* Kaiser ME
- Avraham A, Band M, Yoffe O, Shani M & Ron M: Bovine dinucleotide repeat polymorphism at the ARO26 locus, 147
- Avraham A, Band M, Yoffe O, Shani M & Ron M: Bovine dinucleotide repeat polymorphism at the ARO28 locus, 147
- Bailey E, *see* Szalai G
- Baker L, *see* Fabb SA
- Bala S, *see* Ali S
- Band M, *see* Avraham A
see also Ron M
- Basaras M, *see* Estomba A
- Bastiaansen J, *see* Hart GL
- Beattie CW, *see* Sunden SLF
see also Tissot RG
- Beever J, *see* Atac E
- Beh KJ, *see* Blattman AN
see also Burn AL
- Bell K, *see* Bowling AT
- Benkel BF & Gavora JS: A novel molecular fingerprint probe based on the endogenous avian retroviral element (EAV) of chickens, 409
- Berra GP, *see* Rasero R
- Bertaud M, *see* Guérin G
- Betuel H, *see* Grain F
- Bickel L, *see* Bowling AT
- Bickerstaffe R, *see* Rogers GR
- Bigi D, *see* Zambonelli P
- Binns MM, *see* Holmes NG
- Bishop MD, *see* Sunden SLF
- Blankert HJ, *see* Hepkema BG
- Blankert JJ, *see* Hepkema BG
- Blattman AN, Hulme DJ, Kinghorn BP, Woolaston RR, Gray GD & Beh KJ: A search for associations between major histocompatibility complex restriction fragment length polymorphism bands and resistance to *Haemonchus contortus* infection in sheep, 277
- Bolt R, Vögeli P & Fries R: A polymorphic microsatellite at the *RYR1* locus in swine, 72
- Bonneau M, *see* Guérin G
- Bouquet Y, *see* Coppieters W
- Bowling AT, Penedo MCT, Gordon L & Bell K: Equine plasminogen polymorphism: allelic frequencies in 23 breeds, 437
- Bowling AT, Stott ML & Bickel L: Silent blood chimaerism in a mare confirmed by DNA marker analysis of hair bulbs, 323
- Brandon MR, *see* Fabb SA
- Brezinsky L, Kemp SJ & Teale AJ: Five polymorphic bovine microsatellites (ILSTS010-014), 75
- Brezinsky L, Kemp SJ & Teale AJ: ILSTS005: a polymorphic bovine microsatellite, 73
- Brezinsky L, Kemp SJ & Teale AJ: ILSTS006: a polymorphic bovine microsatellite, 73
see also Kemp SJ
- Briles WE, *see* Aeed PA
- Broad TE, Burkin DJ, Jones C, Lewis PE, Ansari HA & Pearce PD: Mapping of MYF5, C1R, MYHL, TP11, IAPP, A2MR and RNR onto sheep chromosome 3q, 415
- Broom JE & Pentyl JM: A *MspI* RFLP at the ovine protein kinase C beta locus, 146
- Brown JF & Archibald AL: A porcine polymorphic microsatellite locus (SOO31), 70
- Buchanan FC & Crawford AM: Ovine microsatellites at the OarFCB11, OarFCB128, OarFCB193, OarFCB266 and OarFCB304 loci, 145
- Bullock DW, *see* Escayg AP
- Bumstead N, Young JR & Tregaskes C: *TaqI* and *HaeIII* RFLP at the locus encoding the chicken homologue of CD28, 328
- Bumstead N, Young JR & Tregaskes C: *TaqI* RFLP at the locus encoding the chicken homologue of CD8 α , 398
see also Khatib H
- Burkin DJ, *see* Broad TE
- Burn AL, Clarke RA & Beh KJ: *TaqI* RFLP at the bovine *IgE* gene locus, 397
- Byrne K, *see* Moore SS
- Cahaner A, *see* Plotsky Y
- Cambridge LM, *see* Phua SH
- Casas-Carrillo E, *see* Kirkpatrick BW
- Čepica S, *see* Čížová D
- Chader G, *see* Hershfield B
- Chambers GK, *see* Hermans IF
- Chaudhary R, *see* Chowdhary BP
- Chisholm-Chait A, *see* Griot-Wenk M
- Chowdhary BP, Johansson M, Chaudhary R, Ellegren H, Gu F, Andersson L & Gustavsson I: *In situ* hybridization mapping and restriction fragment length polymorphism analysis of the porcine albumin (ALB) and transferrin (TF) genes, 85
- Ciampolini R, Goudarzi K, Vaiman D & Leveziel H: A new bovine dinucleotide repeat microsatellite: microsatellite INRA 30, 221
see also Goudarzi K
- Čížová D, Gábríšová E, Stratil A & Hojný J: An additional locus (PI4) in the protease inhibitor (*PI*) gene cluster of pigs, 315
- Čížová D, Stratil A, Müller E & Čepica S: A new, partially deficient transferrin variant in the pig, 305
- Clamp P, Shalhevet D, Feltes R, Atac E & Schook LB: An *EcoRI* polymorphism at the porcine Enolase 1 (*ENO1*) locus, 139
see also Atac E
see also Feltes R
see also Shalhevet D
- Clarke RA, *see* Burn AL
- Cockett N, *see* Cronin MA
- Collins LJ, *see* Phua SH
- Collins WM, *see* Aeed PA
- Comincini S, *see* De Rubertis F
- Cooper DW, *see* Parsons YM
- Coppieters W, Van de Weghe A, Peelman L, Depicker A, Van Zeveren A & Bouquet Y: Characterization of porcine polymorphic microsatellite loci, 163
- Couperwhite S & Archibald AL: An *EcoRV* RFLP at the porcine chromogranin A locus (*CHGA*), 331
- Couperwhite S & Archibald AL: An *XbaI*

- RFLP at the porcine growth hormone receptor locus (*GHR*), 331
- Crawford AM, *see* Buchanan FC
- see also* Dietz AB
- see also* Henry HM
- see also* Penty JM
- see also* Pierson CA
- Crittenden LB, *see* Khatib H
- Cronin MA & Cockett N: Kappa-casein polymorphisms among cattle breeds and bison herds, 135
- Crooijmans RPN:A, van Kampen AJA, van der Poel JJ & Groenen MAM: Highly polymorphic microsatellite markers in poultry, 441
- Curtis R, *see* Holmes NG
- Davidson BP, *see* Phua SH
- see also* Wood NJ
- Davies CJ, *see* Ellegren H
- Davis AM, White BA & Wheeler MB: A *TaqI* RFLP at the porcine low density lipoprotein receptor (*LDLR*) locus, 330
- Davoli R, *see* Zambonelli P
- De Robertis F, Comincini S, Leone P, Rognoni G & Ferretti L: Construction of a library of bovine genomic fragments enriched in CpG islands, 1
- Demmer J & Galloway SM: A *BglII* RFLP at the ovine locus for insulin-like growth factor 1 (*IGF1*), 76
- Den Daas JHG, *see* Trommelen GJJM
- Dentine MR, *see* Hart GL
- see also* Sun HS
- Depicker A, *see* Coppieters W
- Di Luccia A, *see* Manca L
- Di Stasio L, *see* Rasero R
- Dietz AB, Womack JE, Swarbrick PA & Crawford AM: Assignment of five polymorphic ovine microsatellites to bovine syntenic groups, 433
- see also* Neibergs HL
- see also* Steffen P
- Duval-Iflah Y *see* Guérin G
- Ede AJ *see* Hanrahan V
- see also* Penty JM
- see also* Pierson CA
- Egberts E, *see* Hepkema BG
- Eggen A, *see* Steffen P
- Ellegren H: Abundant (A_n) (T_n) mononucleotide repeats in the pig genome: linkage mapping of the porcine APOB, FSA, ALOX12, PEPN and RLN loci, 367
- Ellegren H, Davies CJ & Andersson L: Strong association between polymorphisms in an intronic microsatellite and in the coding sequence of the *BoLA-DRB3* gene: implications for microsatellite stability and PCR-based *DRB3* typing, 269
- see also* Chowdhary BP
- Erhardt G: A new α_{s1} -casein allele in bovine milk and its occurrence in different breeds, 65
- Erhardt G & Simianer H: Linkage between the loci for serum albumin and vitamin D binding protein (GC) in sheep, 301
- see also* Miranda G
- Escayg AP, Montgomery GW, Hickford JG & Bullock DW: A *BglII* RFLP at the ovine MHC class II *DRA* locus, 217
- Estomba A, Basaras M, Aguirre A, Vicario A, Jugo B & Mazon LI: An improved method for typing of plasma α_1 -protease inhibitor (PI1) variants in sheep, 133
- Fabb SA, Maddox JF, Gogolin-Ewens KJ, Baker L, Wu M-J & Brandon MR: Isolation, characterization and evolution of ovine major histocompatibility complex class II *DRA* and *DQA* genes, 249
- Farnetti E, *see* Zambonelli P
- Feltes R, Clamp P, Shalhevet D, Atac E & Schook LB: A *DraI* polymorphism at the porcine transforming growth factor β , 1 *TGF β 1* locus, 140
- Feltes R, Krull D, Clamp P, Shalhevet D, Atac E, Murtaugh M & Schook LB: A *BamHI* polymorphism at the porcine interleukin-1 β *IL1 β* locus, 141
- see also* Atac E
- see also* Clamp P
- see also* Shalhevet D
- Ferrand N, *see* Hartl GB
- Ferretti L, *see* De Robertis F
- Fredholm M, *see* Høj S
- see also* Marklund L
- Friedmann A, *see* Shalom A
- Fries R: Mapping the bovine genome: methodological aspects and strategy, 111
- see also* Bolt R
- see also* Steffen P
- see also* Yang H
- Gábrířová E, *see* Čížová D
- Galloway SM, *see* Demmer J
- Ganjam VK, *see* Shibuya H
- Gauri, *see* Ali S
- Gavara JS, *see* Benkel BF
- Gebuhrer L, *see* Grain F
- Gellin J, *see* Andersson L
- see also* Yerle M
- Genislav E, *see* Khatib H
- Gerber H, *see* Szalai G
- Giger U, *see* Griot-Wenk M
- Glass EJ, *see* Al-Murrani SWK
- Gogolin-Ewens KJ, *see* Fabb SA
- Gootwine E, Sise JA, Penty JM & Montgomery GW: The duplicated gene copy of the ovine growth hormone gene contains a *PvuII* polymorphism in the second intron, 319
- Gordon L, *see* Bowling AT
- Goudarzi K, Ciampolini R, Vaiman D & Leveziel H: A new bovine dinucleotide repeat microsatellite: microsatellite INRA 18, 221
- see also* Ciampolini R
- Grain F, Nain M-C, Labonne M-P, Lantier F, Lechopier P, Gebuhrer L, Asso J, Maddox J & Betuel H: Restriction fragment length polymorphism of DQB and DRB class II genes of the ovine major histocompatibility complex, 377
- Gray GD, *see* Blattman AN
- Griot-Wenk M, Pahlsson P, Chisholm-Chait A, Spitalnik PF, Spitalnik SL & Giger U: Biochemical characterization of the feline AB blood group system, 401
- Groenen MAM, *see* Crooijmans RPN
- Grosfeld-Stulemeyer MC, *see* Hepkema BG
- Gu F, *see* Chowdhary BP
- Guérin G, Duval-Iflah Y, Bonneau M, Bertaud M, Guillaume P & Olliver L: Evidence for linkage between K88ab, K88ac intestinal receptors to *Escherichia coli* and transferrin loci in pigs, 393
- Guillaume P, *see* Guérin G
- Gustafsson U, *see* Marklund L
- Gustavsson I, *see* Chowdhary BP
- Haberfeld A, *see* Plotsky Y
- Hameister H, *see* Rettenberger G
- Hanrahan V, Ede AJ, Pierson CA & Hill DF: Ovine microsatellites at the OarVH98, OarVH110, OarVH116, OarVH117 and OarVH130 loci, 223
- see also* Pierson CA
- Hart GL, Bastiaansen J, Dentine MR & Kirkpatrick BW: Detection of a four-allele single strand conformation polymorphism (SSCP) in the bovine prolactin gene 5' flank, 149
- see also* Sun HS
- Hartl GB & Ferrand N: Genetic polymorphism of transferrin (TF) and the haemoglobin alpha chain (HBA) in the brown hare (*Lepus europaeus*), 439
- Hedemand JE, *see* Juul-Madsen HR
- Helleman AL, *see* Olsaker I
- Heller ED, *see* Landesman E
- Helm J, *see* Tuggle CK
- Henry HM, Penty JM, Pierson CA & Crawford AM: Ovine microsatellites at the OarHH35, OarHH41, OarHH44, OarHH47 and OarHH64 loci, 222
- see also* Penty JM
- Hensen EJ, *see* Hepkema BG
- see also* Joosten I
- Hepkema BG, Blankert JJ, Albers GAA, Tilanus MGJ, Egberts E, van der Zijpp AJ & Hensen EJ: Mapping of susceptibility to Marek's disease within the major histocompatibility [B] complex by refined typing of White Leghorn chickens, 283
- Hepkema BG, Tilanus MGJ, Blankert JJ, Albers GAA, Grosfeld-Stulemeyer MC & Hensen EJ: A high recombination frequency within the chicken major histocompatibility (B) complex, 389
- Hermans IF, Morris CA, Chambers GK, Towers NR & Jordan TW: Assessment of DNA fingerprinting for determining genetic diversity in sheep populations, 385
- Hershfield B, Chader G & Aguirre G: Cloning of a polymorphic canine genetic

- marker which maps to human chromosome 9, 293
- Hickford JG, *see* Escayg AP
see also Rogers GR
- Hickford JGH, *see* Rogers GR
- Hiendleder S, *see* Schmahl G
- Hill DF, *see* Hanrahan V
- Hillel J, *see* Plotsky Y
- Hines HC, *see* Park CA
- Hobom G, *see* Koczan D
- Høj S, Fredholm M, Larsen NJ & Nielsen VH: Growth hormone gene polymorphism associated with selection for milk fat production in lines of cattle, 91
- Hojný J, Janik A & Schröfel Jr J: A new lipoprotein allotype Lpr3 and allele Lpr^{1,3} in the pig, 445
see also Čizová D
- Holliman A, *see* Holmes NG
- Holmes NG, Mellersh CS, Humphreys SJ, Binns MM, Holliman A, Curtis R & Sampson J: Isolation and characterization of microsatellites from the canine genome, 289
- Huang TH-M, *see* Shibuya H
- Huff BM, *see* Kirkpatrick BW
- Hulme DJ, *see* Blattman AN
- Humphreys SJ, *see* Holmes NG
- Janik A, *see* Hojný J
- Johansson M, *see* Chowdhary BP
see also Marklund L
- Jones C, *see* Broad TE
- Joosten I, Ruff G, Sanders MF & Hensen EJ: Use of isoelectric focusing to define major histocompatibility complex class I polymorphism in goats, 47
- Jordan TW, *see* Hermans IF
- Jørgensen CB, *see* Olsaker I
- Jugo B, *see* Estomba A
- Juul-Madsen HR, Hedemand JE, Salomonsen J & Simonsen M: Restriction fragment length polymorphism analysis of the chicken B-F and B-L genes and their association with serologically defined B haplotypes, 243
- Kaiser ME, Nevin DN, Sturley SL, Purtell C & Attie AD: Determination of pig apolipoprotein B genotype by gene amplification and restriction fragment length polymorphism analysis, 117
- Kappes SM, *see* Sunden SLF
- Kaukinen J & Varvio S-L: Eight polymorphic bovine microsatellites, 148
- Keele JW, *see* Sunden SLF
- Kemp SJ, Brezinsky L & Teale AJ: A panel of bovine, ovine and caprine polymorphic microsatellites, 363
- Kemp SJ, Brezinsky L & Teale AJ: ILSTS008: a polymorphic bovine microsatellite, 74
- Kemp SJ, Maillard JC & Teale AJ: A polymorphism in the bovine gamma-S-crystallin gene revealed by allele-specific amplification, 125
- see also* Agaba M
see also Brezinsky L
see also Suzuki R
- Khatib H, Genislav E, Crittenden LB, Bumstead N & Soller M: Sequence-tagged microsatellite sites as markers in chicken reference and resource populations, 355
- Khatib H & Soller M: Mononucleotide repeat polymorphism at the GGY locus in chicken, 397
- King TL & Zimmerman EG: Clinal variation at aspartate aminotransferase-2 in spotted seatrout, *Cynoscion nebulosus* (Cuvier), inhabiting the north-western Gulf of Mexico, 59
- Kinghorn BP, *see* Blattman AN
- Kirkpatrick BW: Diallelic single-strand conformation polymorphism in the bovine insulin-like growth factor-1 third intron, 144
- Kirkpatrick BW, Huff BM & Casas-Carrillo E: Double-strand DNA conformation polymorphisms as a source of highly polymorphic genetic markers, 155
see also Hart GL
see also Sun HS
- Klett C, *see* Rettenberger G
- Koczan D, Hobom G & Seyfert H-M: Characterization of the bovine α_{S1} -casein gene C-allele, based on a MaeIII polymorphism, 74
- Konfortov BA, *see* Williams H
- Krull D, *see* Atac E
see also Feltes R
see also Shalhevet D
- Labonne M-P, *see* Grain F
- Lahbib-Mansais Y, *see* Yerle M
- Lamont SJ, *see* Moon Sung A
see also Plotsky Y
- Landesman E, Uni Z & Heller ED: Designation by restriction fragment length polymorphism of major histocompatibility complex class IV haplotypes in meat-type chickens, 349
- Langford CF, Telenius H, Miller NGA, Thomsen PD & Tucker EM: Preparation of chromosome-specific paints and complete assignment of chromosomes in the pig flow karyotype, 261
- Lantier F, *see* Grain F
- Larsen NJ & Nielsen VH: *Apal* and *CfoI* polymorphisms in the porcine growth hormone gene, 71
see also Høj S
- Larson RG, *see* Ruohonen-Lehto MK
- Lavi U, *see* Plotsky Y
- Lazary S, *see* Szalai G
- Lechopier P, *see* Grain F
- Lenstra JA, van Boxtel JAF, Zwaagstra KA & Schwerin M: Short interspersed nuclear element (SINE) sequences of the *Bovidae*, 33
- Leone P, *see* De Rubertis F
- Leveziel H, *see* Goudarzi K
see also Ciampolini R
- Lewis PE, *see* Broad TE
- Leyhe B, *see* Schmahl G
- Lie Ø, *see* Olsaker I
see also Slettan A
- Lien S & Rogne S: Bovine casein haplotypes: number, frequencies and applicability as genetic markers, 373
- McNabb LR, *see* Phua SH
- Maddox J, *see* Grain F
- Maddox JF, *see* Fabb SA
- Mahé MF, *see* Miranda G
- Maillard JC, *see* Kemp SJ
- Manca L, Di Luccia A, Pieragostini E, Naitana S & Masala B: Haemoglobin I: a new β -globin chain variant found in sheep of Italian breeds, 203
- Mann FA, *see* Shibuya H
- Marklund L, Winterö AK, Thomsen PD, Johansson M, Fredholm M, Gustafsson U & Andersson L: A linkage group on pig chromosome 4 comprising the loci for blood group L, GBA, ATP1B1 and three microsatellites, 333
- Masala B, *see* Manca L
- Mathews ME, *see* Primmer CR
- Mazon LI, *see* Estomba A
- Mejdell CM, *see* Olsaker I
- Mellersh CS, *see* Holmes NG
- Miller JR, *see* Williams H
- Miller NGA, *see* Langford CF
- Miranda G, Anglade P, Mahé MF & Erhardt G: Biochemical characterization of the bovine genetic κ -casein C and E variants, 27
- Monke DR, *see* Park CA
- Montgomery GW, *see* Escayg AP
see also Gootwine E
see also Penty JM
- Moon Sung A, Nordskog AW, Lamont SJ & Warner CM: Isolation and characterization of cDNA clones for chicken major histocompatibility complex class II molecules, 227
- Moore SS & Byrne K: Dinucleotide polymorphism at the bovine calmodulin independent adenylylase locus, 150
- Moore SS & Byrne K: Dinucleotide polymorphism at the bovine histamine H1 receptor locus, 72
- Morris CA, *see* Hermans IF
- Muggli-Cockett NE, *see* Stone RT
- Müller E, *see* Čizová D
- Murtaugh M, *see* Feltes R
see also Shalhevet D
- Nain M-C, *see* Grain F
- Naitana S, *see* Manca L
- Neibergs HL & Womack JE: Three-allele single strand conformation polymorphism (SSCP) detected in the bovine type 1 plasminogen activator inhibitor gene, 144
- Neibergs HL, Dietz AB & Womack JE: Single-strand conformation polymorphisms (SSCPs) detected in five bovine

- genes, 81
 Nevin DN, *see* Kaiser ME
 Nielsen VH, *see* Høj S
 see also Larsen NJ
 Nonneman DJ, *see* Shibuya H
 Nordskog AW, *see* Moon Sung A
- Oliver RA, *see* Al-Murrani SWK
 Olliver L, *see* Guérin G
 Olsaker I, Jørgensen CB, Hellemann AL, Thomsen PD & Lie Ø: A fast and highly sensitive method for detecting freemartinism in bovine twins using immunomagnetic beads and Y-specific PCR primers, 311
 Olsaker I, Mejdell CM, Sørensen A & Lie Ø: High lysozyme activity in a Norwegian bovine family co-segregates with a restriction fragment length polymorphism, 421
 see also Slettan A
- Pahlsson P, *see* Griot-Wenk M
 Park CA, Hines HC, Monke DR & Threlfall WT: Association between the bovine major histocompatibility complex and chronic posterior spinal paresis — a form of ankylosing spondylitis — in Holstein bulls, 53
 Parsons YM, Cooper DW, Piper LR & Powell BC: A *Bam*HI polymorphism in ovine glycine/tyrosine-rich type II (KRTAP6) keratin sequences, 218
 Pearce PD, *see* Broad TE
 Peelman L, *see* Coppieters W
 Penedo MCT, *see* Bowling AT
 Pentty JM, Henry HM, Ede AJ & Crawford AM: Ovine microsatellites at the OarAE16, OarAE54, OarAE57, OarAE119 and OarAE129 loci, 219
 Pentty JM & Montgomery GW: An *Xba* RFLP at the ovine basic fibroblast growth factor locus (*FGFB*), 329
 see also Broom JE
 see also Gootwine E
 see also Henry HM
 Phua SH, Cambridge LM & Wood NJ: *Eco*RI reveals a polymorphism at the ovine gel-solin (*GSN*) locus, 143
 Phua SH, Cambridge LM & Wood NJ: *Pst*I enzyme reveals a low frequency polymorphism at the rhodopsin (*RHO*) locus in sheep, 220
 Phua SH, Collins LJ, Wood N, Davidson BP & McNabb LR: A low frequency *Eco*RI-RFLP at the ovine protamine 1 (*PRM1*) locus, 142
 Phua SH, Collins LJ, Wood NJ & Davidson BP: A three-allele *Pst*I RFLP at the ovine locus for myosin I heavy chain-like protein (*M1HC*), 150
 Phua SH & Wood NJ: The myogenic factor 5 (*MYF5*) locus in sheep carries a rare *Eco*RI RFLP, 220
 Phua SH, Wood NJ & Davidson BP: A *Pst*I RFLP at the ovine elastin (*ELN*) locus, and physical organization on bovine chromosome 8, 9
- Salomonsen J, *see* Juul-Madsen HR
 Sampson J, *see* Holmes NG
 Sanders MF, *see* Joosten I
 Schmahl G, Leyhe B, Hiendleder S & Wassmuth R: An *Eco*RI polymorphism at the ovine enolase 1 (*ENO1*) locus, 70
 Schook LB, *see* Andersson L
 see also Atac E
 see also Clamp P
 see also Feltes R
 see also Shalhevet D
 Schröfflel Jr J, *see* Hojny J
 Schumacher J, *see* Tissot RG
 Schwerin M, *see* Lenstra JA
 Seyfert H-M, *see* Koczan D
 Shalhevet D, Krull D, Clamp P, Feltes R, Atac E & Schook LB: A *Hind*III polymorphism at the porcine bone, liver, kidney alkaline phosphatase (*ALPL*) locus, 140
 Shalhevet D, Krull D, Feltes R, Clamp P, Atac E, Murtaugh M & Schook LB: A *Bam*HI polymorphism at the porcine interleukin-1α (*IL1A*) locus, 141
 see also Atac E
 see also Clamp P
 see also Feltes R
 Shalom A, Soller M & Friedmann A: Dinucleotide repeat polymorphism at the bovine *HUJ614* locus, 327
 Shalom A, Soller M & Friedmann A: Dinucleotide repeat polymorphism at the bovine *HUJ616* locus, 327
 Shalom A, Soller M & Friedmann A: Dinucleotide repeat polymorphism at the bovine *HUJ625* locus, 328
 Shani M, *see* Avraham A
 Shibata T, Akita T & Abe T: Genetic polymorphism of the sixth component of complement (*C6*) in the pig, 97
 Shibuya H, Nonneman DJ, Huang TH-M, Ganjam VK & Mann FA: Two polymorphic microsatellites in a coding segment of the canine androgen receptor gene, 345
 Simianer H, *see* Erhardt G
 Simonsen M, *see* Juul-Madsen HR
 Sise JA, *see* Gootwine E
 Slettan A, Olsaker I & Lie Ø: Isolation and characterization of variable (GT)_n repetitive sequences from Atlantic salmon, *Salmo salar* L., 195
 Soller M, *see* Khatib H
 see also Shalom A
 Sorensen A, *see* Olsaker I
 Spitalnik PF, *see* Griot-Wenk M
 Spitalnik SL, *see* Griot-Wenk M
 Steffen P, Eggen A, Dietz AB, Womack JE, Stranzinger G & Fries R: Isolation and mapping of polymorphic microsatellites in cattle, 121
 Stone RT & Muggli-Cockett NE: *BoLA-DIB*: species distribution, linkage with *DOB*, and Northern analysis, 41
- 143
 see also Wood NJ
 Pieragostini E, *see* Manca L
 Pierson CA, Hanrahan V, Ede AJ & Crawford AM: Ovine microsatellites at the OarVH34, OarVH41, OarVH58, and OarVH72 loci, 224
 see also Hanrahan V
 see also Henry HM
 Piper LR, *see* Parsons YM
 Plotsky Y, Cahaner A, Haberfeld A, Lavi U, Lamont SJ & Hillel J: DNA fingerprint bands applied to linkage analysis with quantitative trait loci in chickens, 105
 Powell BC, *see* Parsons YM
 Primmer CR & Matthews ME: Canine tetranucleotide repeat polymorphism at the *VIAS-D10* locus, 332
 Primmer CR & Matthews ME: Ovine dinucleotide repeat polymorphism at the *VIAS-S5* locus, 146
 Purtell C, *see* Kaiser ME
- Rasero R, Di Stasio L & Berra GP: Polymorphism of erythrocyte glucosephosphate isomerase in sheep, 63
 Rendel J, *see* Andersson-Eklund L
 Rettenberger G, Klett C & Hameister H: Localization of the tumour protein, TP53, on porcine chromosome 12q12-q14, 307
 Richards CM, *see* Williams H
 Rogers GR, Hickford JGH & Bickerstaffe R & Woods JL: *Bsr*I RFLP in the gene for the ovine B2C high-sulphur wool protein, 69
 Rogers GR, Hickford JGH & Bickerstaffe R: *Msp*I RFLP in the gene for a Type I intermediate filament wool keratin, 218
 Rogne S, *see* Lien S
 Rognoni G, *see* De Rubertis F
 Ron M, Band M, Wyler A & Weller JI: Unequivocal determination of sire allele origin for multiallelic microsatellites when only the sire and progeny are genotyped, 171
 Ron M, Yoffe O & Weller JI: Sequence variation in D-loop mtDNA of cow lineages selected for high and low maternal effects on milk production, 183
 see also Avraham A
 Rothschild MF, *see* Ruohonen-Lehto MK
 see also Tuggle CK
 Ruff G, *see* Joosten I
 Ruohonen-Lehto MK, Rothschild MF & Larson RC: Restriction fragment length polymorphisms at the heat shock protein HSP70 gene(s) in pigs, 67
 Russo V, *see* Zambonelli P
 Ryan AM & Womack JE: Somantic cell mapping of the bovine prion protein gene and restriction fragment length polymorphism studies in cattle and sheep, 23
 Ryan AM & Womack JE: Type I interferon genes in cattle: restriction fragment length polymorphisms, gene numbers

- see also* Sunden SLF
 Stott ML, *see* Bowling AT
 Stranzinger G, *see* Steffen P
see also Yang H
 Stratil A, *see* Čížová D
 Sturley SL, *see* Kaiser ME
 Sun HS, Dentine MR & Kirkpatrick BW: A polymorphic microsatellite (UWCA4) detected on bovine chromosome 21, 149
 Sun HS, Hart GL & Kirkpatrick BW: A polymorphic microsatellite (UWCA1) detected on bovine chromosome 23, 142
 Sunden SLF, Stone RT, Bishop MD, Kappes SM, Keele JW & Beattie CW: A highly polymorphic bovine microsatellite locus: BM2113, 69
 Suzuki R, Kemp SJ & Teale AJ: Polymerase chain reaction analysis of mitochondrial DNA polymorphism in N'Dama and Zebu cattle, 339
 Swarbrick PA, *see* Dietz AB
 Szalai G, Bailey E, Gerber H & Lazary S: DNA sequence analysis of serologically detected ELA class II haplotypes at the equine DQ β locus, 187
 Teale AJ, *see* Brezinsky L
see also Kemp SJ
see also Suzuki R
 Telenius H, *see* Langford CF
 Thomsen PD, *see* Langford CF
see also Marklund L
see also Olsaker I
see also Yerle M
 Threlfall WT, *see* Park CA
 Tilanus MGJ, *see* Hepkema BG
 Tissot RG, Beattie CW, Amoss Jr MS, Williams JD & Schumacher J: Common swine leucocyte antigen (SLA) haplotypes in NIH and Sinclair miniature swine have similar effects on the expression of an inherited melanoma, 191
 Towers NR, *see* Hermans IF
 Tregaskes C, *see* Bumstead N
 Trommelen GJJM, Den Daas JHG, Vijg J & Uitterlinden AG: DNA profiling of cattle using micro- and minisatellite core probes, 235
 Tucker EM, *see* Langford CF
see also Williams H
 Tuggle CK, Yu T-P, Helm J & Rothschild MF: Cloning and restriction fragment length polymorphism analysis of a cDNA for swine PIT-1, a gene controlling growth hormone expression, 17
 Uitterlinden AG, *see* Trommelen GJJM
 Uni Z, *see* Landesman E
 Vaiman D, *see* Goudarzi K
see also Ciampolini R
 van Bostel JAF, *see* Lenstra JA
 Van de Weghe A, *see* Coppieters W
 van der Poel JJ, *see* Crooijmans RPMA
 van der Zijpp AJ, *see* Hepkema BG
 van Kampen AJA, *see* Crooijmans RPMA
 Van Zeveren A, *see* Coppieters W
 Varvio S-L, *see* Kaukinen J
 Vicario A, *see* Estomba A
 Vijg J, *see* Trommelen GJJM
 Vögeli P, *see* Bolt R
 Warner CM, *see* Moon Sung A
 Wassmuth R, *see* Schmahl G
 Weller JL, *see* Ron M
 Wheeler MB, *see* Allen MR
see also Davis AM
 White BA, *see* Davis AM
 Williams H, Richards CM, Konfortov BA, Miller JR & Tucker EM: Synteny mapping in the horse using horse-mouse heterohybridomas, 257
 Williams JD, *see* Tissot RG
 Williams JL, *see* Al-Murrani SWK
 Winterö AK, *see* Marklund L
 Womack JE, *see* Dietz AB
see also Neiberghs HL
see also Ryan AM
see also Steffen P
 Wood N, *see* Phua SH
 Wood NJ & Phua SH: A dinucleotide repeat polymorphism at the adenylate cyclase activating polypeptide locus in sheep, 329
 Wood NJ, Phua SH & Davidson BP: Polymorphism in an A- and T-rich element in the β -haemoglobin locus in sheep, 71
see Phua SH
 Woods JL, *see* Rogers GR
 Woolaston RR, *see* Blattman AN
 Wu M-J, *see* Fabb SA
 Wyler A, *see* Ron M
 Yang H, Fries R & Stranzinger G: The sex-determining region Y (SRY) gene is mapped to p12-p13 of the Y chromosome in pig (*Sus scrofa domestica*) by *in situ* hybridization, 297
 Yerle M, Lahbib-Mansais Y, Thomsen PD & Gellin J: Localization of the porcine growth hormone gene to chromosome 12p1'2 \rightarrow p1'5, 129
 Yoffe O, *see* Avraham A
see also Ron M
 Young JR, *see* Bumstead N
 Yu T-P, *see* Tuggle CK
 Zambonelli P, Davoli R, Bigi D, Farnetti E & Russo V: A *Bgl*III polymorphism at the porcine γ -glutamyl transpeptidase (*GCT*) locus, 217
 Zimmerman EG, *see* King TL
 Zsigray RM, *see* Aeed PA
 Zwaagstra KA, *see* Lenstra JA

Subject index

- A2MR mapping on sheep chromosome 3q, 415
- Adenylate cyclase activating polypeptide locus, 329
- Albumin gene
 in situ hybridization analysis, 85
 RFLP analysis, 85
- Alkaline phosphatase (ALPL) locus, 140
- Allo-antisera, 427
- Amylase-1 locus, 101
- Androgen receptor gene, 345
- Ankylosing spondylitis, 53
- Apal polymorphism, 71
- Apolipoprotein B genotype determination, 117
- Arginine vasopressin, 81
- ARO26 and ARO28 loci, 147
- Aspartate aminotransferase-2, 59
- ATP1B1 linkage group, 333
- B2C high-sulphur wool protein, 69
- B-complex recombinants, 177
- B-F and B-L genes, 243
- BamHI polymorphism
 crystallin gamma locus, 139
 glycine/tyrosine-rich type II keratin sequences, 218
 interleukin-1 α locus, 141
 interleukin-1 β locus, 141
- BglII R FLP
 gamma-glutamyl transpeptidase locus, 217
 locus for insulin-like growth factor 1 (IGF1), 76
 MHC class II DRA locus, 217
- Bison kappa-casein polymorphisms, 135
- Blood groups
 feline AB system, 401
 L locus linkage group on pig chromosome 4, 333
- BM2113 microsatellite locus, 69
- BoLA class I expression, 427
- BoLA MHC class I antigen, 53
- BoLA-DIB gene, 41
- BoLA-DRB3 gene, 269
- Bovidae, short interspersed nuclear element (SINE), 33
- Bovine calmodulin independent adenylcyclase locus, 150
- Bovine α_{S1} -casein gene, 74
- Bovine casein haplotypes, 373
- Bovine chromosome 8, 9
- Bovine chromosome 21, 149
- Bovine chromosome 23, 142
- Bovine dinucleotide repeat microsatellite INRA 18 and 30, 221
- Bovine dinucleotide repeat polymorphism at ARO26 and ARO28 locus, 147
- Bovine gamma-S-crystallin gene polymorphism, 125
- Bovine gene single-strand conformation polymorphisms (SSCPs), 81
- Bovine genetic kappa-casein C and E variants, 27
- Bovine genome mapping, 111
- Bovine genomic fragments, 1
- Bovine histamine H1 receptor locus, 72
- Bovine HUJ614 locus, 327
- Bovine HUJ616 locus, 327
- Bovine HUJ625 locus, 328
- Bovine IgE locus, 397
- Bovine insulin-like growth factor-1 third intron, 144
- Bovine major histocompatibility complex
 association with chronic posterior spinal paresis, 53
 class II genes, 41
- Bovine microsatellite
 ILSTS005, 73
 ILSTS006, 73
 ILSTS008, 74
 ILSTS010-014, 75
 locus BM2113, 69
- Bovine parathyroid hormone gene, 325
- Bovine prion protein gene, 23
- Bovine prolactin gene 5' flank, 149
- Bovine spongiform encephalopathy (BSE), 23
- Bovine type 1 plasminogen activator inhibitor gene, 144
- BsrI restriction fragment length polymorphism, 69
- C1R mapping on sheep chromosome 3q, 415
- Calmodulin independent adenylcyclase locus, 150
- Canine androgen receptor gene, 345
- Canine genetic marker
 cloning of polymorphic, 293
 mapping human chromosome 9, 293
- Canine genome microsatellites, 289
- Canine tetranucleotide repeat polymorphism, 332
- Caprine leucocyte antigen (CLA) class I, 47
- Casein haplotype genetic markers, 373
- α_{S1} -Casein allele in bovine milk, 65
- α_{S1} -Casein gene, 74
- kappa-Casein C, 27
- kappa-Casein E, 27
- kappa-Casein polymorphisms, 135
- Cattle
 kappa-casein polymorphisms, 135
 DNA profiling, 235
 mtDNA polymerisms, 339
 freemartin, 311
 gene maps, 111
 lysozyme activity in family co-segregates, 421
 maternal effects on milk production, 183
 milk fat content major gene, 101
 milk fat production selection, 91
 milk protein occurrence in different breeds, 65
 parathyroid hormone gene polymorphism, 325
 polymorphic microsatellite isolation and mapping, 121
 short interspersed nuclear element (SINE), 33
 see also Bovine
- CD8alpha locus encoding chicken homologue, 398
- CD28 chicken homologue, 328
- CfoI polymorphism, 71
- Chickens
 B-complex recombinants, 177
 DNA fingerprint probe of endogenous avian retroviral element, 409
 GGY locus mononucleotide repeat polymorphism, 397
 major histocompatibility (B) complex recombination frequency, 389
 mapping of susceptibility to Marek's disease, 283
 MHC class II molecule cDNA clones, 227
 MHC class IV haplotypes, 349
 polymorphic microsatellite markers, 441
 quantitative trait loci, 105
 reference and resource populations, 355
 RFLP analysis of B-F and B-L genes, 243
- Chimaerism, 323
- Chromogranin A locus, 331
- Chromosomes
 assignment in pig flow karyotype, 261
 painting, 261
- Clines, marine fish, 59
- Complement sixth component (C6), 97
- CpG islands, 1
- Crystallin gamma locus, 139
- Cynoscion nebulosus*, 59
- Cytochrome oxidase c subunit IV pseudogene, 81
- 1D-IEF analysis of BoLA class I expression, 427
- D-loop mtDNA, 183
- Dinucleotide repeat polymorphism
 adenylate cyclase activating polypeptide locus, 329
 ARO26 locus, 147
 ARO28 locus, 147
 calmodulin independent adenylcyclase locus, 150
 HUJ614 locus, 327
 HUJ616 locus, 327
 HUJ625 locus, 328
 VIAS-S5 locus, 146
- DNA
 double-strand conformation polymorphisms, 155

- probe, 199
 profile, 235
 sequence analysis, 187
- DNA fingerprint
 bands, 105
 genetic diversity in sheep populations, 385
 probe, 409
- mtDNA
 polymerisms in cattle, 339
 sequence variation in D-loop, 183
- DOB linkage with *BoLA-DIB*, 41
- DQA* genes, 249
- DQB* alleles, 187
- DQB* class II genes, 377
- DRA* genes, 249
- Dra* I polymorphism, 140
- DRB3* typing, 269
- DRB* class II genes, 377
- Eco*RI polymorphism
 enolase 1 locus, 70, 139
 gelsolin locus, 143
 myogenic factor 5 locus, 220
 protamine 1 locus, 142
- Eco*RV polymorphism, 331
- ELA class II haplotypes, 187
- Elastin locus, 143
- Endogenous avian retroviral element, 409
- Enolase 1 locus, 70
- Eco*RI polymorphism, 139
- Equine plasminogen polymorphism, 437
- Erythrocyte glucosephosphate isomerase polymorphism, 63
- Escherichia coli*, 393
- Feline AB blood group system, 401
- Fibroblast growth factor locus, 329
- Flow karyotype, 261
- Freemartinism detection, 311
- G-banding, high-resolution, 129
- Gelsolin locus polymorphism, 143
- Gene amplification, 117
- Gene mapping
 assignment of polymorphic ovine microsatellites to bovine syntenic groups, 433
 linkage group on pig chromosome 4, 333
 Pig Gene Mapping Workshop (PGM1), 205
 sequence-tagged microsatellite sites as markers, 355
 sheep chromosome 3q, 415
 SRY gene in pig, 297
 synteny in horse, 257
 tumour protein TP53, 307
- Genetic diversity, 385
- Genetic linkage, 301
- Genetic markers
 bovine casein haplotypes, 373
 polymorphic, 155
- Genetic polymorphism, 439
- Genome analysis
 bovine, 111
 monomorphic loci detection, 199
- Genome mapping markers, 75
- GGY* locus in chicken, 397
- β -Globin chain variant of haemoglobin I, 203
- β -Glucosidase, 333
- gamma-Glutamyl transpeptidase locus, 217
- Glycine/tyrosine-rich type II keratin sequences, 218
- Glycoprotein hormone alpha, 81
- Goats
 major histocompatibility complex class I polymorphism, 47
 short interspersed nuclear element (SINE), 33
see also Caprine
- Growth hormone gene
 expression control by swine PIT-1 gene, 17
 localization to chromosome 12p1.2->p1.5, 129
 polymorphism and milk fat production selection, 91
 polymorphisms, 71
*Pvu*II polymorphism in second intron, 319
 receptor locus and *Xba*I RFLP, 331
 restriction fragment length polymorphism, 155
 (GT)_n repetitive sequences, 195
- Hae*III RFLP, 328
- Haemoglobin alpha chain genetic polymorphism, 439
- Haemoglobin I β -globin chain variant, 203
- β -Haemoglobin locus
 A-rich element polymorphisms, 71
 T-rich element polymorphisms, 71
- Haemonchus contortus* infection resistance, 277
- Hair bulb, 323
- Heat shock protein HSP70 gene, 67
- Hind*III
 polymorphism and porcine alkaline phosphatase (ALPL) locus, 140
 restriction site polymorphism of kappa-casein, 135
- Histamine H1 receptor locus, 72
- Horse
 ELA class II haplotypes at *DQB* locus, 187
 gene mapping, 257
 silent blood chimaerism, 323
see also Equine
- Horse-mouse hybridomas, 257
- HUJ614 locus, 327
- HUJ616 locus, 327
- HUJ625 locus, 328
- Human chromosome 9 mapping, 293
- IAPP mapping on sheep chromosome 3q, 415
- IgE* locus, 397
- ILSTS005 polymorphic bovine microsatellite, 73
- ILSTS006 polymorphic bovine microsatellite, 73
- ILSTS008 polymorphic bovine microsatellite, 74
- Immunomagnetic beads in freemartinism detection, 311
- Inherited melanoma expression, 190
- INRA 18 and INRA 30, 221
- Insulin-like growth factor 1 (IGF1)
*Bgl*III RFLP at ovine locus, 76
 third intron and diallelic single-strand conformation polymorphism, 144
- Interferon genes Type I, 9
- Interleukin-1 α locus, 141
- Interleukin-1 β locus, 141
- Intermediate filament Type I wool keratin gene, 218
- Isoelectric focusing
 definition of MHC class I polymorphism in goats, 47
 alpha₁-protease inhibitor (PI1) variant typing, 133
- K88ab and Kac intestinal receptor linkage, 393
- Lepus europaeus*, 439
- Lipoprotein allotype Lpr3 and allele *Lpr*¹⁻³, 445
- Low density lipoprotein receptor
 bovine specific sequence amplification, 81
*Taq*I RFLP, 330
- Lpr*¹⁻³ lipoprotein allele, 445
- Lpr3 lipoprotein allotype, 445
- Lysozyme activity, 421
- Maell* polymorphism, 74
- Major histocompatibility (B) complex
 mapping of susceptibility to Marek's disease, 283
 recombinants and anti-Rous sarcoma response, 177
 recombination frequency, 389
- Major histocompatibility complex
 association with chronic posterior spinal paresis, 53
 chicken cDNA probes, 243
 class I polymorphism, 47
 class II *DRA* and *DQA* genes, 249
 class II *DRA* locus, 217
 class II genes, 41
 class II molecules, 227
 class IV haplotypes, 349
 restriction fragment length polymorphism bands, 277
 RFLP of *DBQ* and *DRQ* class II genes, 377
- Marek's disease, 283
- Microsatellites
 bovine dinucleotide repeat INRA 18 and INRA 30, 221
 canine genome, 289
 core probe DNA profiling of cattle, 235
 DNA markers in horse hair bulbs, 323
 (GT)_n in Atlantic salmon, 195
 linkage groups on pig chromosome 4,

- 333
linkage mapping of pig loci, 367
locus BM2113, 69
locus SO031, 70
multiallelic in determination of sire allele origin, 171
ovine at OarAE loci, 219
ovine at OarFCB loci, 145
ovine at OarHH loci, 222
ovine at OarVH loci, 223, 224
sequence-tagged sites, 355
- Microsatellites, polymorphic
assignment of ovine to bovine syntenic groups, 433
at *RYR1* locus, 72
bovine, 148, 363
caprine, 363
in coding segment of canine androgen receptor gene, 345
ILSTS005, 73
ILSTS006, 73
ILSTS008, 74
ILSTS010-014, 75
intronic, 269
isolation and mapping in cattle, 121
markers in poultry, 441
ovine, 363
porcine, 163
UWCA1 on bovine chromosome 23, 142
UWCA4 on bovine chromosome 21, 149
- Milk
production, 183
proteins 65, *see also* Casein
- Milk fat
content major gene, 101
production selection, 91
- Minisatellite core probes, 235
- Mitochondrial DNA *see* mtDNA
- Mononucleotide repeat (A)_n(T)_n, 367
- Mononucleotide repeat polymorphism at GGY locus, 397
- MspI* RFLP
gene for Type I intermediate filament wool keratin, 218
ovine protein kinase C beta locus, 146
- MYHL mapping, 415
- Myogenic factor 5 locus in sheep
chromosome 3q, 415
EcoRI RFLP, 220
- Myosin I heavy chain-like protein ovine locus, 150
- OarAE loci microsatellites, 219
OarFCB loci microsatellites, 145
OarHH loci microsatellites, 222
OarVH loci microsatellites, 223, 224
Oligodeoxyribonucleotide probe, 199
Ovine dinucleotide repeat polymorphism, 146
Ovine elastin locus, 143
Ovine fibroblast growth factor locus, 329
Ovine gelsolin locus polymorphism, 143
Ovine glycine/tyrosine-rich type II keratin sequences, 218
- Ovine growth hormone gene, 319
Ovine MHC class II DRA locus, 217
Ovine protamine 1 locus, 142
Ovine protein kinase C beta locus, 146
Oxytocin, 81
- Parathyroid hormone gene, 325
PCR primers, Y-specific, 311
- Pig
albumin gene, 85
apolipoprotein B genotype determination, 117
chromosome 4 linkage groups, 333
chromosome 12q12-q14, 307
flow karyotype and chromosome assignment, 257
Gene Mapping Workshop (PGM1), 205
genetic polymorphism of C6, 97
growth hormone gene polymorphisms, 71
HSP70 gene, 67
inherited melanoma expression, 190
linkage mapping of loci, 367
lipoprotein allotype *Lpr3* and allele *Lpr^{f-3}*, 445
partially deficient transferrin variant, 305
polymorphic microsatellite at *RYR1* locus, 72
polymorphic microsatellite locus SO031, 70
protease inhibitor gene cluster, 315
transferrin gene, 85
Y chromosome SRY gene, 297
see also Porcine; Swine
- Plasminogen
polymorphism, 437
type 1 activator inhibitor gene, 144
- Polymerase chain reaction
bovine gamma-S-crystallin gene polymorphism, 125
mitochondrial DNA polymorphism, 339
- Polymorphism of erythrocyte glucosephosphate isomerase, 63
- Porcine alkaline phosphatase (ALPL) locus, 140
- Porcine chromogranin A locus, 331
- Porcine crystallin gamma locus, 139
- Porcine enolase 1 locus, 139
- Porcine gamma-glutamyl transpeptidase locus, 217
- Porcine growth hormone gene
localization to chromosome 12p1-2->p1-5, 129
receptor locus, 331
restriction fragment length polymorphism, 155
- Porcine interleukin-1alpha locus, 141
- Porcine interleukin-1beta locus, 141
- Porcine low density lipoprotein receptor locus, 330
- Porcine microsatellite locus SO031, 70
- Porcine polymorphic microsatellite loci characterization, 163
- Porcine protein kinase C epsilon polypeptide locus, 330
- Porcine transforming growth factor beta 1 locus, 140
- Prion protein gene, 23
- Prochymosin, 81
- Prolactin gene 5' flank, 149
- Protamine 1 locus, 142
- Protease inhibitor gene cluster, 315
alpha-Protease inhibitor (PI1) variants, 133
- Protein kinase C
beta locus, 146
epsilon polypeptide locus, 330
- PstI* enzyme, 220
- PstI* RFLP
ovine elastin locus, 143
three-allele and ovine locus for myosin I heavy chain-like protein, 150
- PvuII* polymorphism, 319
- Quantitative trait loci, 171
tail analysis, 105
- Rare cutter restriction endonucleases, 1
- Recombination frequency major histocompatibility (B) complex, 389
- Restriction fragment length polymorphism
albumin gene, 85
apolipoprotein B genotype determination, 117
B-F and B-L genes, 243
BglII, 76
BsrI, 69
designation of MHC class IV haplotypes, 349
cDNA for swine PIT-1 gene, 17
DQB class II gene of ovine MHC, 377
DRB class II gene of ovine MHC, 377
growth hormone gene, 91, 155
HSP70 gene, 67
linkage group on pig chromosome 4, 333
lysozyme activity in cattle family cosegregates, 421
MHC bands, 277
prion protein gene, 23
transferrin gene, 85
Type I interferon genes, 9
- Rhodopsin locus, 220
- RNR mapping on sheep chromosome 3q, 415
- Rous sarcoma, 177
- RsaI*
restriction site polymorphism of kappa-casein, 135
RFLP, 330
- RYR1* locus, 72
- gamma-S-crystallin gene polymorphism, 125
Salmo salar, 195
Serum albumin locus, 301
Sex-determining region Y (SRY) gene, 297
- Sheep
adenylate cyclase activating polypep-

- tide locus, 329
 B2C high-sulphur wool protein, 69
*Bgl*II RFLP at IGF1 locus, 76
 chromosome 3q, 415
*Eco*RI RFLP in myogenic factor 5 locus, 220
 enolase 1 (ENO1) locus, 70
 erythrocyte glucosephosphate isomerase polymorphism, 63
 genetic diversity in populations, 385
 β -globin chain variant of haemoglobin I, 203
 β -haemoglobin locus polymorphisms, 71
Haemonchus contortus infection resistance, 277
 low frequency polymorphism at rhodopsin locus, 220
 MHC class II *DRA* and *DQA* genes, 249
 microsatellites at OarHH loci, 222
 microsatellites at OarVH loci, 223, 224
 plasma α_1 -protease inhibitor (PI1) variants, 133
 serum albumin locus, 301
 short interspersed nuclear element (SINE), 33
 vitamin D binding protein locus, 301
see also Ovine
 Short interspersed nuclear element (SINE), 33
 Single-strand conformation polymorphism (SSCP)
 bovine gene, 81
 diallelic, 144
 four-allele, 149
 three-allele, 144
 Sire allele origin determination, 171
 Somatic cell mapping, 23
 Spinal paresis, chronic posterior, 53
 Spotted seatrout, 59
 Swine
 leucocyte antigen haplotypes, 190
 PIT-1 gene, 17
 Synteny mapping, 257
 Tail analysis, 105
*Taq*I RFLP
 IgE locus, 397
 locus encoding chicken homologue of CD8 α , 398
 locus encoding chicken homologue of CD28, 328
 low density lipoprotein receptor locus, 330
 Tetranucleotide repeat polymorphism at VIAS-D10 locus, 332
 TPI1 mapping on sheep chromosome 3q, 415
 Transferrin gene
 in situ hybridization analysis, 85
 K88ab/K88ac intestinal receptor linkage, 393
 partially deficient variant, 305
 polymorphism in brown hare, 439
 RFLP analysis, 85
 Transforming growth factor β 1 locus, 140
 Tumour protein TP53, 307
 UWCA1 polymorphic microsatellite, 142
 UWCA4 polymorphic microsatellite, 149
 VIAS-D10 locus, 332
 VIAS-S5 locus, 146
 Vitamin D binding protein locus, 301

*Xba*I RFLP, 329
*Xba*I RFLP, 331



